

- 1** With wet hair apply the Universal Clean and Care Shampoo (Step 1) and massage. Rinse and remove excess water with a towel.



- 4** Apply SUBLIME P-LISS (step 2), strand by strand keeping a distance of 0,5 cm from the scalp.




- 7** Rinse thoroughly. Remove the excess water with a towel. Apply the Capillary Rejuvenation (step 3). Leave it to work from 5 to 10 minutes depending on the desired level of hydration. Rinse.



- 2** Use blow dryer to dry the hair about 80%.



- 5** Let it act for 40-1:20 minutes, depending on the type of hair.
Fine hair : 40 minutes
Normal and curly hair - 60 minutes
Kinky curly hair - 1:20minutes



- 8** Finish blow drying and flat ironing 8 to 20 times, strand by strand , depending on the straightness of the desired hair style.



- 3** Section the hair into 6 equal parts with hair clips.



- 6** Untangle with a fine comb and hair dryer. It's only necessary to heat the hair, not to dry.



- 9** The end. The duration of the Bioliss treatment is 3 months.



Flat Iron temperature:
Normal, Curly or Kinky Hair : 446 Fahrenheit
Fine Hair/ Sensitized Hair - 390 to 400 Fahrenheit
Blond Hair : 390 to 420 Fahrenheit



BIOVORE
PROFESSIONAL
SUBLIME

- 1** Aplique el Shampoo Universal Clen and Care (paso 1) con el pelo mojado y masajee. Enjuague y elimine el exceso de agua con una toalla.



- 4** Aplicar SUBLIME P-LISS (paso 2), mechón a mechón, manteniendo una distancia de 0,5 cm del cuero cabelludo.




- 7** Enjuagar 80%. Retire el exceto de agua con una toalha. Aplica el Capillary Rejuvenation (paso 3). Déjelo durante 5 a 10 minutos, dependiendo del nivel de hidratación deseado. Enjuague.



- 2** Elimine 80% de la humedad del cabello con la ayuda de un secador



- 5** Dejar actuar de 40 a 1:20, dependiendo del tipo de cabello.
Cabello fino : 40 minutos
Cabello normal y rizado - 60 minutos
Cabello rizado (kinky) - 1:20minutos



- 8** Terminar con un secado y plancha de 8 a 20 veces, mechón a mechón, dependiendo de la intensidad del liso deseado.



- 3** Section the hair into 6 equal parts with hair clips.



- 6** Alinear con un peine fino e secador. Solo un poco de aire caliente. No seques el pelo.



- 9** Fin. La duración del realineamiento Bioliss es de 3 meses.



Flat Iron temperature:
Normal, Curly or Kinky Hair : 446 Fahrenheit
Fine Hair/ Sensitized Hair - 390 to 400 Fahrenheit
Blond Hair : 390 to 420 Fahrenheit



BIOVORE
PROFESSIONAL
SUBLIME